

## CLAIMS

1. A method for treating epilepsy in a dog, comprising administering an amount of 1-(4-chlorophenyl)-4-(4-morpholinyl)-2,5-dihydro-1H-imidazol-1-2-one or a physiological salt thereof, to a dog with epilepsy, in an amount sufficient to alleviate said epilepsy.
2. The method of claim 12, comprising administering said 1-(4-chlorophenyl)-4-(4-morpholinyl)-2,5-dihydro-1H-imidazol-2-one orally.
3. The method of claim 12, comprising administering said 1-(4-chlorophenyl)-4-(4-morpholinyl)-2,5-dihydro-1H-imidazol-2-one from 1-5 times per day.
4. The method of claim 12, comprising administering from about 1 to about 200 mg/kg of body weight of said dog of 1-(4-chlorophenyl)-4-(4-morpholinyl)-2,5-dihydro-1H-imidazol-2-one daily.
5. The method of claim 12, further comprising coadministering at least one other active ingredient.
6. The method of claim 16, wherein said at least one other active ingredient is selected from the group consisting of phenobarbital, primidone, and potassium bromide.
7. The method of claim 12, wherein said epilepsy is idiopathic epilepsy or symptomatic epilepsy.

8. The method of claim 12, wherein said epilepsy is newly diagnosed.